New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Sussex County Residents

1.	Current HIV/AIDS Category	Adult/Adolescent * Cases %		Pediatrio Cases	용		Tot <i>a</i> Cases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	27 23 # # # #		 0 # #	O # #		27 29 61	23 25 52
	Total	116 100		#	#	_	117	100
2.	Current Age * Cases %	3. Race/Eth.		Adult/Adi Cases %	Cas			al %
	<5 0 0 5-12 # 1 13-19 # 2 20-29 6 5 30-39 23 20	White, Not His Black, Not His Hispanic Other/Unknown	spanic spanic	# 13 12 7 (# : 1 6 # :	# # 0 0 0 0 # #	# 13 7 #	# 11 6 #
	40-49 60 51 50+ 25 21 Unk. 0 0 Total 117 100	Total		116 100) :	# #	117	100
4.	Patient Group	P Males		dolescent '	Transmi: males	ssion M		al %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		43 1 19 0 0 11 0 27		0 12 0 10 18	0 30 0 25 45	2 1 3	32 28 26 23 0 0 .8 16 38 33
	Total	74	100		40 1		11	4 100
		Males	%		ansmiss males	8	les Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***	#	# 0		# O	# O		# # O O
	Total	 #			#	#		# #

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2003.
- ** 2 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Sussex County Residents

Adult/Adolescent*

1.	Disease Ca	tegory	Ca	ses (%)	Deaths (%)	Cases	3	(%)	Deaths	(5	응)	Cases	(5	웅)	Deaths	(%)
	PCP Other OI w KS Alone No Disease			# (# (# (51 (3	#) # (#) #) # (#)	#	# (# (D (#) #) 0)		(#) #) .)	39 # # 51	(28) #) #) 36)	#	(79) (#) (#) (49)
	Total			137 (10	0) 82 (66)		# (#)	#	(#)	141	(1	00)	85	(66)
2.	Age *	Cases	%	3. R	ace/Eth.	Adult/A		·	Pediatri Cases	C* %		Total Cases		%		
	Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 Unknown	# # 13 61 38 24	# # 9 43 27 17	B H O	hite, Not Hispanic lack, Not Hispanic ispanic ther/Unknown otal		# 4 () -	# # O O 		 # # 0 0 		5 0	89 8 4 0 		

Pediatric*

Total

Δ	Patient	Groun

141 100

Over 49 Unknown ----

Total

. Patient Group	Ac	lult/Adol	escent Transm	nission :	Modes **	
-	Males	용	Females	용	Total	용
Men sex with men (MSM)	49	48	0	0	49	36
Injection drug user (IDU)	29	28	10	29	39	28
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	17	17	13	38	30	22
Total	103	100	34	100	137	100

	Pediatric Transmission Modes					
	Males	용	Females %	Total	용	
Parent at risk/has AIDS/HIV	#	#	0 0	#	#	
Risk not reported/other***	0	0	# #	#	#	
Total	#	#	# #	#	#	

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

 $[\]ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Sussex County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Rate
Before 1985	#	#	#
1985	#	#	#
1986	5	5	100%
1987	#	#	#
1988	#	#	#
1989	9	9	100%
1990	7	6	86%
1991	12	12	100%
1992	8	5	63%
1993	16	12	75%
1994	14	10	71%
1995	8	5	63%
1996	11	#	#
1997	5	#	#
1998	7	0	0%
1999	6	#	#
2000	#	#	#
2001	9	#	#
2002	6	0	0%
2003	#	#	#
Total	141	85	60%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Sussex County Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/ Cases	Adl*	Pediatr Cases	cic*	Total Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	50	79
5-12	0	0	Black, Not Hispanic	#	#	#	#	7	11
13-19	#	#	Hispanic	#	#	#	#	#	#
20-29	16	25	Other/Unknown	#	#	#	#	#	#
30-39	27	42							
40-49	12	19	Total	62	100	#	#	64	100
Over 49	6	9							
Unknown	0	0							
Total	64	100							

3. Patient Group	Adult/Adolescent Transmission Modes **										
•	Males	%	Females	용	Total	용					
Men sex with men (MSM)	 19	48		0	 19	31					
Injection drug user (IDU)	6	15	6	27	12	19					
MSM/IDU	0	0	0	0	0	0					
Heterosexual contact	#	#	#	#	10	16					
Risk not reported/other***	#	#	#	#	21	34					
Total	40	100	22	100	62	100					
		Pedia	tric Transmi:	ssion Mo	des						

Mal	es	%	Females	% Modes	Total	%
Parent at risk/has AIDS/HIV	0	•	#	#	#	#
Risk not reported/other***	0		0	0	0	0
Total	0		#	#	#	#

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Sussex County Residents

1.	Current HI	:V/AIDS Ca	tegory.		Adult/Adol Cases	%	Cá	ase	diatr: es	용			Tota	용		
	AIDS-Any C AIDS-CD4 C HIV Only)I)nly			# 51 #				# O #	 # 0 #			90 51 64	25 31	1 5 L	
	Total					100			6	100			205	100		
2.	Age *			3.	Race/Eth.		Adult Cases	3	%			ric*		Cas	To ses	tal %
	Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 Unknown	0	3 0 # 18 44 20 15		White, Not Black, Not Hispanic Other/Unkn	Hispanic Hispanic own		# 9 #	# # 5 #		0 #				175 18 9 #	9 4 #
	Total	205	100													
4.	Patient Gr	-				Males	-		F	emales	용			1	%	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	th men (M drug user al contac reported/o	ISM) (IDU) t ther***			# # 28	48 24 # # 20			16 0 # 23	0 29 0 # 41		5	58 51 # # 51	# # 26	
	Total					143	100			56			19	9	100	
						Males	%	atr	F	ransmis emales	용		Tota		0/0	
	Parent at Risk not r	eported/c	AIDS/HI ther***			# # #	# #			# #	#			5 #	83 #	

6 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Sussex County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	#	#	#
1985	6	6	100%
1986	6	5	83%
1987	6	#	#
1988	8	7	88%
1989	15	12	80%
1990	13	9	69%
1991	12	10	83%
1992	14	8	57%
1993	19	9	47%
1994	15	5	33%
1995	13	5	38%
1996	12	#	#
1997	13	#	#
1998	8	0	0%
1999	11	#	#
2000	8	#	#
2001	11	#	#
2002	9	0	0%
2003	#	#	#
Total	205	88	43%